








PADAJUĆE BRTVE I METLICE




	NAZIV	ŠIFRA
	PODIZNA BRTVA 53cm Serie 1800 PRESSURE PODIZNA BRTVA 63cm Serie 1800 PRESSURE PODIZNA BRTVA 73cm Serie 1800 PRESSURE PODIZNA BRTVA 83cm Serie 1800 PRESSURE PODIZNA BRTVA 93cm Serie 1800 PRESSURE PODIZNA BRTVA 103cm Serie 1800 PRESSURE PODIZNA BRTVA 113cm Serie 1800 PRESSURE PODIZNA BRTVA 123cm Serie 1800 PRESSURE	1800053 1800063 1800073 1800083 1800093 1800103 1800113 1800123
	<p><i>Podizna brtva sa podešavanjem dozvoljenog spuštanja i nagiba brtve putem mesinganog vijka</i></p> <p>Akustika do 35dB</p> <p>Dozvoljeno kraćenje do 100mm</p>	
	PODIZNA BRTVA 53cm Serie 1800XNS NO SOUND PODIZNA BRTVA 83cm Serie 1800XNS NO SOUND PODIZNA BRTVA 93cm Serie 1800XNS NO SOUND PODIZNA BRTVA 103cm Serie 1800XNS NO SOUND PODIZNA BRTVA 113cm Serie 1800XNS NO SOUND PODIZNA BRTVA 133cm Serie 1800XNS NO SOUND PODIZNA BRTVA 143cm Serie 1800XNS NO SOUND	1800XNS053 1800XNS083 1800XNS093 1800XNS103 1800XNS113 1800XNS133 1800XNS143
	<p><i>Podizna brtva sa podešavanjem dozvoljenog spuštanja i nagiba brtve putem mesinganog vijka</i></p> <p>Akustika do 54dB</p> <p>Dozvoljeno kraćenje do 100mm</p> <p>Vatrootporna</p>	
	PODIZNA BRTVA 83cm Serie 420 BASIC PODIZNA BRTVA 103cm Serie 420 BASIC	420083 420103
	<p><i>Podizna brtva sa podešavanjem dozvoljenog spuštanja i nagiba brtve putem mesinganog vijka</i></p> <p>Akustika do 34dB</p> <p>Dozvoljeno kraćenje do 200mm</p>	



PODIZNA BRTVA 73cm Serie 1450 COMAX SIVA PRIBITNA
 PODIZNA BRTVA 83cm Serie 1450 COMAX SIVA PRIBITNA
 PODIZNA BRTVA 93cm Serie 1450 COMAX SIVA PRIBITNA
 PODIZNA BRTVA 103cm Serie 1450 COMAX SIVA PRIBITNA

ŠIFRA
 1450073AR
 1450083AR
 1450093AR
 1450103AR

Podizna brtva sa podešavanjem dozvoljenog spuštanja i nagiba brtve putem mesinganog vijka
Dozvoljeno kraćenje do 200mm




Planet ^{SWISS}®
 Wir machen Türen dicht



PODIZNA BRTVA PLANET KT SILICON 835mm


30084




Podizna slikonska brtva sa podešavanjem dozvoljenog spuštanja i nagiba brtve putem mesinganog vijka
Dozvoljeno kraćenje do 110mm do 120mm
Akustika do 48dB
Vatrootporna



BRTVENI PROFIL S METLICOM 2,15M SIVI

IT-908-13/215



	NAZIV	ŠIFRA
	<p>METLICA ZA BRTVLJENJE ALU-PRIBITNA L=3m</p>	7.IBS
	<p>BRTVA PROTUPUŽARNA 3436-FH/100</p> <p><i>Brtva od modificiranog elastičnog polimera sa dodacima za samogašenje</i></p>	7.3436
	<p>BRTVA PROTUPUŽARNA KATEKA 4X20/2000 60min EKSPAND.</p> <p><i>Omogućuje 60 min vatrootpornosti</i> <i>Samoljepljivi profil duljine 2000mm koji expandira pri visokim temperaturama, zatvaraju pukotine te sprječava prolaz vatri usmjeravajući je dalje</i> <i>Dimenzije 10x4mm, 15x4mm, 20x4mm i 25x4mm</i></p>	7.4X20



NAZIV

ŠIFRA

AMIG - METLICA ZA UL.VRATA MOD.2 1000MM BIJELA	A.02055
AMIG - METLICA ZA UL.VRATA MOD.2 1000MM BRONCA	A.02056
AMIG - METLICA ZA UL.VRATA MOD.2 100MM ZLATO	A.02057
AMIG - METLICA ZA UL.VRATA MOD.2 1000MM SREBRO	A.02076
AMIG - METLICA ZA UL.VRATA MOD.2 1000MM HRAST	A.02384
AMIG - METLICA ZA UL.VRATA MOD.2 1000MM TREŠNJA	A.02387